

CHECK-LIST  
OF  
COLEOPTERA OF JAPAN

---

日本産甲虫目録

---

No. 20

March 30, 1983

---

The Coleopterists' Association of Japan  
c/o Department of Zoology, National Science Museum (Nat. Hist.),  
3-23-1 Hyakunin-chô, Shinjuku, Tokyo 160, Japan

---

Family PTILODACTYLIDAE ナガハナノミ科

By

Masataka SATÔ

Genus *Ptilodactyla* ILLIGER コヒゲナガハナノミ属

*Ptilodactyla* ILLIGER, 1807, Mag. Ins., 6, p. 342 (type-species: *Cayenne nitida* DEGEER).  
*Hypselothorax* KIRSH, 1866, Berl. ent. Z., 10, p. 188.

*P. amamioshimanana* NAKANE, 1963 アマミコヒゲナガハナノミ

NAKANE, 1963, Fragm. Coleopt., (11), p. 43 (Hatsuno, Amami-Ôshima).

Distr.: Japan (Yaku-shima), Ryukyu Is. (Amami-Ôshima, Okinawa, Iriomote-jima, Yonaguni-jima).

*P. ishigakiana* M. SATÔ, 1968 イシガキコヒゲナガハナノミ

M. SATÔ, 1968, J. Nagoya Women's Coll., (14), p. 138, figs. 54, 55 (Arakawa, Ishigaki-jima).

Distr.: Ryukyu Is. (Ishigaki-jima).

*P. japonensis* NAKANE, 1977 オオメコヒゲナガハナノミ

NAKANE, 1977, Fragm. Coleopt., (22/24), p. 87.

*macrophthalma* NAKANE, 1963, ibid., (11), p. 43 (Hirakura, Mie Pref.) (nec LEGROS, 1947).

Distr.: Japan (Honshu).

*P. ramae* LEWIS, 1895 コヒゲナガハナノミ

LEWIS, 1895, Ann. Mag. nat. Hist., 16, p. 107 (Nagasaki, Fukushima, Oiwake, Nara).

Distr.: Japan (Honshu, Shikoku, Kyushu).

*P. takahashii* M. SATÔ, 1968 タカハシコヒゲナガハナノミ

M. SATÔ, 1968, J. Nagoya Women's Coll., (14), p. 136, figs. 61, 64 (Hatsuno, Amami-Ôshima).

Distr.: Ryukyu Is. (Amami-Ōshima).

Genus *Epilichas* WHITE, 1859 ヒゲナガハナノミ属

*Paralichas* (*Epilichas*) WHITE, 1859, Ann. Mag. nat. Hist., (3), 3, p. 290 (type-species:  
*Paralichas* (*Epilichas*) *candezi* WHITE, 1859).

*E. atricolor* LEWIS, 1895 クロアシヒゲナガハナノミ

LEWIS, 1895, Ann. Mag. nat. Hist., 16, p. 101 (Nikko and Miyanoshita).

Distr.: Japan (Honshu).

*E. brunneicornis* LEWIS, 1895 エゾヒゲナガハナノミ

LEWIS, 1895, Ann. Mag. nat. Hist., 16, p. 100 (Junsai).

Distr.: Japan (Hokkaido, Honshu).

subsp. *usori* NAKANE, 1958

NAKANE, 1958, Misc. Rept. Res. Inst. nat. Resourc., (46/47), p. 91 (Mt. Osore,  
Shimokita).

Distr.: Japan (Northern Honshu).

*E. flabellatus* (KIESENWETTER, 1874) エダヒゲナガハナノミ

KIESENWETTER, 1874, Berl. ent. Z., 18, p. 242 (*Octoglossa*) (Kiushiu, Nipon).

*testaceipes* PIC, 1927, Bull. bi-mens. Soc. Linn. Lyon, 6, p. 132 (Japon).

Distr.: Japan (Honshu, Shikoku, Kyushu).

var. *rubicollis* NAKANE, 1952

NAKANE, 1952, Sci. Rept. Saikyo Univ., (Nat. Sci. & Liv. Sci.), 1, p. 35 (Myoken  
near Osaka).

subsp. *amamianus* NAKANE, 1963

NAKANE, 1963, Fragm. Coleopt., (10), p. 42 (Mt. Yuwan, Amami-Ōshima).

Distr.: Ryukyu Is. (Amami-Ōshima).

var. *muneaka* NAKANE, 1963

NAKANE, 1963, Fragm. Coleopt., (10), p. 42 (Sumiyo, Amami-Ōshima).

subsp. *mutsuensis* NAKANE, 1958

NAKANE, 1958, Misc. Rept. Res. Inst. nat. Resourc., (46/47), p. 90 (Yunomata,  
Shimokita).

Distr.: Japan (Northern Honshu).

subsp. *okinawanus* M. SATÔ, 1968

M. SATÔ, 1968, J. Nagoya Women's Coll., (14), p. 135, figs. 42, 49 (Yona, Okinawa-  
hontô).

Distr.: Ryukyu Is. (Okinawa).

subsp. *tamaii* M. SATÔ, 1964

M. SATÔ, 1964, Bull. Japan ent. Acad., 1, p. 33 (Shirahama, Iriomote-jima).

Distr.: Ryukyu Is. (Iriomote-jima).

*E. miyatakei* NAKANE, 1952 コクロツヤヒゲナガハナノミ

NAKANE, 1952, Sci. Rept. Saikyo Univ., (Nat. Sci., & Liv. Sci.), 1, p. 36, figs. 4,  
5 (Mt. Omogo, Shikoku).

*atricolor*: MIYATAKE, 1949, Bull. Takarazuka Insect., (56), p. 13 (nec LEWIS, 1895).

Distr.: Japan (Shikoku).

*E. monticola* NAKANE, 1952 クロツヤヒゲナガハナノミ

NAKANE, 1952, Sci. Rept. Saikyo Univ., (Nat. Sci. & Liv. Sci.), 1, p. 36, fig. 3  
(Kiso-Fukushima).

*atricolor*: NAKANE, 1948, Bull. Takarazuka Insectarium, (45), p. 9, figs. 4, 5c, 6c  
(nec LEWIS, 1895).

Distr.: Japan (Honshu).

var. *brunneipennis* NAKANE, 1963

NAKANE, 1963, Fragm. Coleopt., (10), p. 42 (*monticola* subsp.) (Nukumi Pass,  
Oku-Mino).

*E. yakushimensis* NAKANE, 1952 ヤクヒゲナガハナノミ

NAKANE, 1952, Sci. Rept. Saikyo Univ., (Nat. Sci. & Liv. Sci.), **1**, p. 35 (*flabellatus*  
subsp.) (Hananoego, Yakushima).

*candezi* subsp.?: NAKANE, 1950, Kontyû, Tokyo, **18**, p. 6 (Yakushima).

Distr.: Japan (Yakushima).

subsp. *oshimanus* NAKANE, 1952

NAKANE, 1952, Sci. Rept. Saikyo Univ., (Nat. Sci. & Liv. Sci.), **1**, p. 35 (*flabellatus*  
*yakushimensis* f.) (Amami-Ôshima).

*candezi* subsp.?: NAKANE, 1950, Kontyû, Tokyo, **18**, p. 6 (Amami-Ôshima).

Distr.: Ryukyu Is. (Amami-Ôshima).

subsp. *iriomotensis* M. SATÔ, 1968

M. SATÔ, 1968, J. Nagoya Women's Coll., (14), p. 133, fig. 39 (Haterumono-mori,  
Iriomote-jima).

Distr.: Ryukyu Is. (Iriomote-jima).

#### Genus *Paralichas* WHITE ナガハナノミ属

*Paralichas* WHITE, 1859, Ann. Mag. nat. Hist., (3), **3**, p. 284 (type-species: *Paralichas*  
*guerinii* WHITE, 1859).

*P. higoniae* LEWIS, 1895 ヒゴヒゲナガハナノミ

LEWIS, 1895, Ann. Mag. nat. Hist., **16**, p. 99. pl. 6, fig. 1 (Between Ichiuchi and  
Hitoyoshi).

Distr.: Japan (Kyushu).

subsp. *gyotokui* NAKANE, 1963

NAKANE, 1963, Fragm. Coleopt., (10), p. 42 (Tanushi, Fukuoka).

Distr.: Japan (Kyushu).

*P. pectinatus* (KIESENWETTER, 1874) ヒゲナガハナノミ

KIESENWETTER, 1874, Berl. ent. Z., **18**, p. 242 (*Odontonyx*) (Hiogo, Nipon).

Distr.: Japan (Honshu, Shikoku, Kyushu).

#### Genus *Pseudoepilichas* ARMSTRONG et NAKANE クリイロヒゲナガハナノミ属

*Pseudoepilichas* ARMSTRONG et NAKANE, 1956, Proc. roy. ent. Soc. London, (B), **25**, p. 212  
(type-species: *Epilichas niponicus* LEWIS, 1895).

*P. niponicus* (LEWIS, 1895) クリイロヒゲナガハナノミ

LEWIS, 1895, Ann. Mag. nat. Hist., **16**, p. 101 (*Epilichas*) (Nikko and Miyashita).

Distr.: Japan (Hokkaido, Honshu, Shikoku, Kyushu).

*P. robustior* NAKANE, 1963 オオクリイロヒゲナガハナノミ

NAKANE, 1963, Fragm. Coleopt., (10), p. 42 (Daihizan, Kyoto).

Distr.: Japan (Honshu).

#### Genus *Drupeus* LEWIS ヒメヒゲナガハナノミ属

*Drupeus* LEWIS, 1895, Ann. Mag. nat. Hist., **16**, p. 102 (type-species: *Drupeus laetabilis*

LEWIS, 1895).

*D. laetabilis* LEWIS, 1895 ヒメヒゲナガハナノミ

LEWIS, 1895, Ann. Mag. nat. Hist., **16**, p. 102, fig. 1 (Kashiwagi).

Distr.: Japan (Honshu, Shikoku).

*D. vittipennis* LEWIS, 1895 タテスジヒメヒゲナガハナノミ

LEWIS, 1895, Ann. Mag. nat. Hist., **16**, p. 103 (Kashiwagi).

Distr.: Japan (Hokkaido, Honshu, Shikoku, Kyushu, Yaku-shima).

Genus *Cophaesthetus* WATERHOUSE マルヒゲナガハナノミ属

*Cophaesthetus* WATERHOUSE, 1880, Cist. Ent., **23**, p. 566 (type-species: *Cophaesthetus opacus* WATERHOUSE, 1880).

*Drupeubria* NAKANE, 1952, Sci. Rept. Saikyo Univ., (Nat. Sci. & Liv. Sci.), **1**, p. 37.

*C. brevis* (LEWIS, 1895) マルヒゲナガハナノミ

LEWIS, 1895, Ann. Mag. nat. Hist., **16**, p. 103 (*Drupeus*) (Nara).

Distr.: Japan (Honshu, Shikoku).

subsp. *takeuchii* (NAKANE), 1952

NAKANE, 1952, Sci. Rept. Saikyo Univ., (Nat. Sci., & Liv. Sci.), **1**, p. 37 (*Drupeubria brevis* f.) (Mt. Shirouma, Honshu).

Distr.: Japan (Central Honshu).

Genus *Grammeubria* KIESENWETTER チビヒゲナガハナノミ属

*Grammeubria* KIESENWETTER, 1874, Berl. ent. Z., **18**, p. 248 (type-species: *Grammeubria opaca* KIESENWETTER, 1874).

*G. opaca* KIESENWETTER, 1874 チビヒゲナガハナノミ

KIESENWETTER, 1874, Berl. ent. Z., **18**, p. 249 (Nangasaki).

*nitidula* KIESENWETTER, 1874, ibid., **18**, p. 249 (no type locality) (syn. nov.).

*testaceipes* PIC, 1944, Échange Rev. Linne., **13**, p. 1 (*Drupeus*) (Japon) (syn. nov.).

Distr.: Japan (Honshu, Shikoku, Kyushu).

Genus *Macroeubria* PIC チビマルヒゲナガハナノミ属

*Macroeubria* PIC, 1916, Mél. exot. -ent., (20), p. 4 (type-species: *Macroeubria striatipennis* PIC, 1916).

*M. lewisi* NAKANE, 1952 チビマルヒゲナガハナノミ

NAKANE, 1952, Sci. Rept. Saikyo Univ., (Nat. Sci., & Liv. Sci.), **1**, p. 37 (Mayasan near Kōbe).

*lewisi amamiana* M. SATŌ, 1964, Bull. Japan ent. Acad., **1**, p. 34, fig. 1 (Shin-mura, Amami-Ōshima).

Distr.: Japan (Honshu, Kyushu, Yakushima), Ryukyu Is. (Amami-Ōshima, Ishigaki-jima).

Genus *Spineubria* NAKANE コチビマルヒゲナガハナノミ属

*Spineubria* NAKANE, 1952, Sci. Rept. Saikyo Univ., (Nat. Sci. & Liv. Sci.), **1**, p. 39 (type-species: *Spineubria reticulata* NAKANE, 1952).

*S. reticulata* NAKANE, 1952 アミメチビマルヒゲナガハナノミ

NAKANE, 1952, Sci. Rept. Saikyo Univ., (Nat. Sci. & Liv. Sci.), **1**, p. 39 (Nase, Amami-Ōshima).

Distr.: Ryukyu Is. (Amami-Ôshima).

Genus *Urumeaubria* M. SATÔ ウルマチビマルヒゲナガハナノミ属

*Urumeaubria* M. SATÔ, 1968, J. Nagoya Women's Coll., (14), p. 140 (type-species:  
*Urumeaubria tachikawai* M. SATÔ, 1968).

*U. tachikawai* M. SATÔ, 1968 イシガキチビマルヒゲナガハナノミ

M. SATÔ, 1968, J. Nagoya Women's Coll., (14), p. 142, figs. 63, 65 (Mt. Omoto-dake, Ishigaki-jima).

Distr.: Ryukyu Is. (Ishigaki-jima).

#### 付 記

一部の群について、その所属に問題はあるが、ここでは一応従来の取扱いのままとしておいた。