

- JORDAN, K., 1931. Anthribidae collected by F. C. DRESCHER on the Island of Java. *Novit. zool.*, **36**: 288–302.
- 1932. Further records of Anthribidae from Java. *Ibid.*, **38**: 301–304.
- 1937. Some Old-World Anthribidae. *Ibid.*, **40**: 199–207.
- 1938. On some Old-World Anthribidae. *Ibid.*, **41**: 140–147.
- MORIMOTO, K., 1972. A key to the genera of Oriental Anthribidae (Coleoptera). *Bull. Gov. For. Expt. Stn.*, (246): 35–54, 17 pls.
- PASCOE, F. P., 1859. On some new Anthribidae. *Annls. Mag. nat. Hist.*, (3), **4**: 431–439.
- WOLFRUM, P., 1929. Anthribidae. In JUNK, W., & S. SCHENKLING (eds.), *Coleopterorum Catalogus*, pars 102 (pp. 3–145). W. Junk, Berlin.
- 1934. Neue Anthribiden von den Philippinen, Sandakan (Nord-Borneo) und Singapore. *Ent. Blätt.*, **30**: 2–19.
- 1948. Neue Anthribidae aus China. *Ibid.*, **41/44**: 133–148.
- 1953. Anthribidae. In HINCKS, W. D. (ed.), *Coleopterorum Catalogus Supplementa*, pars 102 (pp. 3–63). W. Junk, 's-Gravenhage.

Elytra, Tokyo, **18** (2): 266, November 15, 1990

A New Record of *Tropidobasis* (Coleoptera, Anthribidae) from Thailand

Toshio SENOH

Department of Biology, Chuo University High School,
Koganei, Tokyo, 184 Japan

Tropidobasis discophora JORDAN, 1923, was described from Sarawak, Borneo, and east Sumatra, based on 3 ♂♂, 1 ♀, collected by J. B. CORPORAAL. It is a peculiar species in having a large dark brown round patch on the pronotum, and a whitish ring around the patch. In 1980, I made a long collecting trip to Southeast Asia and obtained two specimens of this species at Chiang Dao, northern Thailand. I am going to record this species as being new to the fauna of Thailand.

2 exs., Chiang Dao, Chiang Mai Prov., North Thailand, 25–V–1980, T. SENOH leg.
Distribution. Thailand, Sumatra, Borneo.

Reference

- JORDAN, K., 1923. New eastern Anthribidae. *Novit. zool.*, **30**: 167–185.