

## Description of a New Species Allied to *Chlorophorus boninensis* KANO from the Bonin Islands (*Cerambycidae*)

By Jiro KOMIYA

(Received Sept. 23, 1976; Accepted Oct. 7, 1976)

*Chlorophorus kobayashii*, sp. nov. (Fig. 1, 2) (Plate 5 Fig. 2~2b)

(Japanese name: Ogasawara-kiiro-tora-kamikiri)

*Chlorophorus boninensis*: GRESSITT (nec. KANO), 1956, Ins. Micro., 17(2): 106.

*Chlorophorus boninensis* f. *yayeyamaformis* KUSAMA, 1973, Reports of Faculty of Science, SHIZUOKA Univ., 8:125.

*Chlorophorus yayeyamensis*: KOJIMA et al. (nec. KANO), 1965, Research Reports KOCHI Univ., 14, Nat. Sci. II (9): 85 (Ogasawara).: KOJIMA, NAKAMURA et HAYASHI (nec. KANO), 1971, Gensei, 22:13.

This new species is so closely similar to *C. yayeyamensis* (Plate 5 Fig. 1~1b) and *C. boninensis* (Plate 5 Fig. 3~3b) that it has always been confused with either of the latter two species. Dr. KUSAMA (1973) recognized it as an independent forma and described *C. boninensis* f. *yayeyamaformis* adding that whether it is independent species or not will be decided by further morphological and ecological investigations. Mr. KOBAYASHI made a contribution to the taxonomy of this species in bringing a good series of specimens of it as well as *boninensis* from the Bonin Islands. Furthermore he suggested to the author that this species and *boninensis* are somewhat different from each other ecologically although he can hardly explain the difference systematically. After careful morphological investigation, especially of male genitalic features, it was confirmed that this species is different from any other species previously described.

Specific characters: Length of body: 8.5—12.5mm. Width of elytra: 2.3—3.1mm.

Body black, clothed with ochraceous-yellow pubescence and partly with pale yellow and black pubescence. Head black, thinly clothed with pale yellow pubescence. Prothorax black, densely and




Fig. 1 *Chlorophorts kobayashii* sp. nov., ♂, holotype.  
Fig. 2 ditto. ♀, paratype.

evenly clothed with ochraceous-yellow pubescence, with black markings which consisting of two spots at center and a smaller spot at each side slightly anterior to the central spots; every spots somewhat fused together forming a sinuate transverse band. Scutellum black, densely clothed with ochraceous-yellow pubescence. Elytron black, densely covered with ochraceous-yellow pubescence

## Acknowledgement

The author wishes to express his sincere gratitude to Dr. K. KUSAMA for his advice in the course of this study and also to Messrs. M. TAKAKUWA, T. KOBAYASHI and Y. ODA for their kind help in obtaining the valuable specimens used in this study. He is also due to Mr. H. FUJITA not only for the specimens but also for the preparation of drawing accompanying the present paper.

## 摘要

(1) 新種 *Chlorophorus kobayashii*

(和名オガサワラキヨトラカミキリ) の記載

この種は從来オガサワラトラカミキリまたはヤエヤマトラカミキリと混同されていたもので、1973年、草間博士により *C. boninensis* f. *yayeyamaformis* と命名されたが、検討の結果未記載の種であることが判明した。♂の性殖器が非常に発達しており他の2種とは一見して区別できるほか、外見でもオガサワラトラとは上翅の黒紋が小さいことで、ヤエヤマトラとは触角および前胸背が細いことで容易に区別できる。

产地は小笠原群島父島、母島、東島。

## (2) ♂性殖器の形態による3種の検索表

1 (2) 陰茎、側片葉は肥大し強く硬化する。側片葉は先の肥大したさじ状。……………*kobayashii*

2 (1) 陰茎、側片葉共に小さく、全体に硬化が弱く、側片葉は細長い。……………3

3 (4) 陰茎は両側がほぼ平行の引延ばされた砲弾形。側片葉は特に小さく硬化が弱い。……………*boninensis*

4 (3) 陰茎は両側がやや円みをおびた舌状。側片葉は陰茎より硬化がつよい。……………*yayeyamensis*

## TTS甲虫海外図鑑・図書

◆ Dillon, E.S. & L.S. Dillon A Manual of Common Beetles of Eastern North America. (2巻セット)  
アメリカ北東部甲虫図鑑 (DV-006-7) ¥3,700 (円440).  
A5, 900頁アメリカの普通種64科1,200種の同定が可能。

◆ Hatch, M. H. The Beetles of the Pacific Northwest.  
Part I: Introduction & Adephaga. (UW-001) ¥6,280 (円440).  
Part II: Staphyliniformia. (UW-002) ¥6,280 (円440).  
Part III: Pselaphidae & Diversicoria. (UW-003) ¥8,075 (円440).  
Part IV: Macrodactyles, Palpicornes & Heteromera. (UW-004) ¥5,380 (円440).  
Part V: Phipiceroidae, Sternoxi, Phytophaga, Rhynchophora & Lamellicornia. (UW-005) ¥8,075 (円480).  
ハッチの名著、各巻 280~680頁図版多数、クロス版、版元在庫少、お早目に。

◆ Hardy, A.R. A Revision of the Genus *Pelidnota* of America, North of Panama. (Scarabae; Rutelinae) (UC-031) ¥1,110 (円320).  
B5, 47頁7図版、14分布図

ご注文・ご予約ともハガキに署名・捺印の上お申し越し下さい。直ちにお送り致します。代金は到着後5日以内にご送金下さい。(但し、未成年者は保護者の署名・捺印も)。

在庫リスト(要円100) リスト発行年4~5回

◆ O'Brien, C.W. A Taxonomic Revision of the Weevil Genus *Dorytomus* in North America (Curculionidae). B5, 76頁11図版27テキスト図 (UC-033) ¥1,110 (円360).

◆ Young, F.N. The Water Beetles of Florida. フロリダの水生甲虫 (UF-001) ¥2,220 (円400).  
B5, 248頁31図版

"Pacific Insects" vol.3 (1961) 596pp.  
(PI-603) ¥2,590 (円480).

Chujo, M. & S. Kimoto Systematic Catalog of Japanese Chrysomelidae. p.117-202.  
(日本産ハムシ科分類目録)

Li, C.S. & E.F. Cook The Epilachninae (Coccinellidae) of Taiwan. p.31-91.  
(台湾産マダラテントウ亞科)

本巻には上記の甲虫関係論文を含みます。この他大平地域の昆虫論文多数掲載。

◆ 安立綱光 私の動物学修業—安立綱光著作選集—  
A5, 190頁 前半約100頁は甲虫に関する著作集。  
¥1,300 (円400)

◆ 草間慶一他 四季の昆虫—静岡の自然—〈新刊〉  
A5, 274頁16原色図版、本文中写真・図多数  
¥ 950 (円360)

◆ 松本むしの会(編) 長野県のカミキリムシ 〈新刊〉  
B5, 214頁350図以上、長野県のカミキリ310種を写真付  
写真付で記録  
¥1,500 (円400)  
(小社の送料は¥200の書留料を含みます。2冊以上になると大変安くなります。)

お近くの方は小田急タカシマヤ(小田急線駅前・小田急線ビル12F 1221号)へ! 昆虫洋書専門店300タイトル以上在庫。

昆虫・動植物海外図鑑・学術書(旧バビヨン)

東京通販サービス社

〒156 東京・千歳郵便局私書箱33号

TEL (03) 426-6012 郵便振替 東京0-73,156