## On Several Anthribids (Coleoptera, Anthribidae) from Nepal

## Toshio SENOH

Department of Biology, Chuo University High School, Koganei, Tokyo, 184 Japan

Early in the summer of 1981, Dr. Wataru Suzuki made a long collecting trip to Nepal and collected three specimens of anthribid beetles in the Kathmandu Valley, central Nepal. They were submitted to me for taxonomic study. After a careful examination, it became clear that the collection contained two known and one unidentifiable species.

I wish to thank Dr. Wataru Suzuki of Tokyo, who always provided with anthribid specimens for my study, and Professor K. Morimoto for giving me the privilege of examining many photographs of anthribid type specimens preserved in foreign museums.

Merarius quadrituberculatus (Hope, 1831)

1 ex., Godavari (1,580–2,000 m alt.), Kathmandu Valley, C. Nepal,  $1 \sim 6$ –VI–1981, W. Suzuki leg.

According to Wolfrum (1953), *Merarius glabriceps* Jordan, 1911, described from Kurseong in Sikkim, is a junior synonym of this species. Through the courtesy of Professor K. Morimoto, I was able to see a photograph of the type specimen of *M. glabriceps* Jordan, taken by himself at the British Museum (Nat. Hist.), London. This species is newly recorded from Nepal.

Distribution. Assam, Sikkim, Nepal.

Tropideres scitus instructus Frieser, 1983

1 ex., Godavari (1,580–2,000 m alt.), Kathmandu Valley, C. Nepal,  $1 \sim 6$ –VI–1981, W. Suzuki leg.

Tropideres scitus JORDAN, 1933, was described from Burma. The subspecies instructus was recently described by FRIESER from E. Nepal based on 13  $\circlearrowleft$ , 8  $\circlearrowleft$  specimens.

Gibber sp.

1 ex., Godavari (1,580–2,000 m alt.), Kathmandu Valley, C. Nepal,  $1\sim6$ –VI–1981, W. Suzuki leg.