

### References

- BOVIE, A., 1906. Catalogue des Anthribides. *Annls. Soc. ent. Belg.*, **49**: 218–334.
- GEMMINGER, M., & B. DE HAROLD, 1872. Catalogus Coleopterorum, (9): 2722–2750.
- GYLLENHAL, L., 1833. *X. saperdoides*. In SCHÖNHERR, C. J., *Genera et Species Curculionidum*, **1**: 118–119.
- JORDAN, K., 1894. On Anthribidae in the museum of the Honourable Walter ROTHLCHILD. *Novit. zool.*, **1**: 591–651.
- 1903. New Oriental Anthribidae. *Ibid.*, **10**: 415–434.
- 1913. The Oriental Anthribidae of the VAN DE POLL collection. *Ibid.*, **20**: 257–277.
- 1916. Anthribidae collected by Monsieur I. VITALIS DE SALVAZA in French Indochina. *Ibid.*, **23**: 359–364.
- 1923. Les Anthribides de l'Indochine. *Fn. ent. Indochine, Saigon*, **6**: 71–113 (and *Opusc. Inst. sci. Indochine*, (1): 1–41).
- 1928. Anthribidae from the Malay Peninsula. *Novit. zool.*, **34**: 95–104.
- 1945. On the Oriental anthribid genus *Xenocerus* GERMAR 1833, with descriptions of new species and subspecies (Coleoptera). *Proc. r. ent. Soc. Lond.*, (B), **14**: 10–20.
- SENOH, T., 1995. Occurrence of *Xenocerus salamandrinus* (Coleoptera, Anthribidae) in North Thailand. *Elytra, Tokyo*, **23**: 313–314.
- WOLFRUM, P., 1929. Anthribidae. In JUNK, W., & S. SCHENKLING (eds.), *Coleopterorum Catalogus*, pars 102 (pp. 3–145). W. Junk, Berlin.
- 1953. Anthribidae. In HINCKS, W. D. (ed.), *Coleopterorum Catalogus Supplementa*, pars 102 (pp. 3–63). W. Junk, 's-Gravenhage.

*Elytra, Tokyo*, **25** (1): 11–12, May 15, 1997

### Further Records of *Peribathys uenoi* SENOH (Coleoptera, Anthribidae)

Toshio SENOH

Department of Biology, Chuo University High School,  
Koganei, Tokyo, 184 Japan

*Peribathys uenoi* was described by SENOH (1982, p. 67) on the basis of only one male specimen collected on Mt. Alishan, Chia-yi Hsien, central Taiwan, by Dr. S.-I. UÉNO of the National Science Museum, Tokyo, in April 1965. It is the largest of the Taiwanese anthribid species in the body size, but there has been no other records than the original. The female is therefore unknown up to the present.

Recently, through the courtesy of Messrs. S. TSUYUKI and H. SAKAINO of Kanagawa Prefecture, I had an opportunity to examine 3 ♂♂, 1 ♀ of *Peribathys uenoi*, collected from Taiwan by native collectors. The collecting data of the specimens examined are as follows:

2 ♂♂, Aowanta, Nantou Hsien, Taiwan, 10-IX-1994, Chin-Chi Lo leg.; 1 ♀, Paling~Ssuling, Taoyuan Hsien, Taiwan, 17-VII-1990, S.-T. CHENG leg.; 1 ♂, Shan-ping, Maolin Hsiang, Kaohsiung Hsien, Taiwan, 1985, CHENG leg.

### *Peribathys uenoi* SENOH, 1982

*Peribathys uenoi* SENOH, 1982, Trans. Shikoku ent. Soc., Matsuyama, **16** (1/2): 67; 1983, Sayabane, Tokyo, (9): 21; 1984, Trans. Shikoku ent. Soc., Matsuyama, **16** (4): 35. — SENOH & YOSHIHARA, 1985, Chō Chō, Fukuoka, **8** (8): 25.

Length: 21–32 mm (from apical margin of rostrum to apex of pygidium).

Female. Antennae short, extending barely beyond the basal margin of elytra, 8th and basal half of 9th segment covered with white hairs, proportions in length from 1st to 11th segments about 9:11:9:24:20:17:16:13:19:13:18. Rostrum with a deep V-shaped fovea at the base of underside. Pygidium semicircular, inclined backwards, all margins reflex, disc strongly swollen, covered with granules in apical third. Legs shorter than those of male; anterior femur nearly as long as the median which is shorter than the posterior; anterior tibia nearly as long as the median which is a little longer than the posterior; anterior tarsus nearly as long as the posterior which is a little shorter than the median.

I wish to thank Messrs. S. TSUYUKI and H. SAKAINO of Kanagawa Prefecture for their kindness in submitting the invaluable specimens to me for taxonomic study, and to Dr. S.-I. UÉNO of the National Science Museum (Nat. Hist.), Tokyo, for kindly reading the original manuscript of the present short paper.

### References

- SENOH, T., 1982. Two new species of the genus *Peribathys* from southern Japan and Taiwan (Coleoptera: Anthribidae). *Trans. Shikoku ent. Soc., Matsuyama*, **16** (1/2): 63–69.
- 1983. The genus *Peribathys* (Coleoptera, Anthribidae) distributed to southern Japan and Taiwan. *Sayabane*, Tokyo, (9): 21. (In Japanese.)
- 1984. A new species of the genus *Peribathys* JORDAN from the Island of Okinawa, Japan (Coleoptera: Anthribidae). *Trans. Shikoku ent. Soc., Matsuyama*, **16** (4): 33–35.
- & K. YOSHIHARA, 1985. On the fungus weevils of the genus *Peribathys*. *Chō Chō*, Fukuoka, **8** (8): 25–28. (In Japanese.)