

### References (Additional)

- DOHRN, C. A., 1880. Exotisches. *Stett. ent. Ztg.*, **1880**: 367–382.
- MASUMOTO, K., 1981. Tenebrionidae of Formosa, 2. *Elytra, Tokyo*, **9**: 15–52.
- 1997 a. New records of *Strongylium* (Coleoptera, Tenebrionidae) from northern Thailand. *Ibid.*, **25**: 65–66.
- 1997 b. Study of Asian Strongyliini (Coleoptera, Tenebrionidae). IV. Three species-groups of the genus *Strongylium* from Southeast Asia. *Ibid.*, **25**: 279–309.
- NOMURA, S., 1963. Some new species of the Coleoptera from Loochoo Is. and its adjacent regions. *Ent. Rev. Japan, Osaka*, **15**: 37–42.
- PIC, M., 1926. Nouveautés diverses. *Mél. ent.-exot.*, **47**: 1–32.
- 1927. Coléoptères de l'Indochine. *Ibid.*, **49**: 1–36.
- 1940. Diagnoses de Coléoptères exotiques (suite). *Échange*, **56**: 13–16.

*Elytra, Tokyo*, **26** (2): 432, November 15, 1998

### Replacement of a Preoccupied Name of a *Strongylium* Species

**Kimio MASUMOTO**

Institute of Human Living Sciences, Otsuma Women's University,  
12 Sanbancho, Chiyoda-ku, Tokyo, 102–8357 Japan

MASUMOTO (1997) described *Strongylium taoi* from Sulawesi, inadvertently overlooking *S. taoi* MASUMOTO, 1996, originally described from northern Thailand. Since the former became a junior homonym of the latter, a new replacement name is proposed as follows:

#### *Strongylium minorui* nom. nov.

*Strongylium taoi* MASUMOTO, 1997, *Elytra, Tokyo*, **25**: 293 [nec MASUMOTO, 1996].

### References

- MASUMOTO, K., 1996. Study of Asian Strongyliini (Coleoptera, Tenebrionidae). II. New *Strongylium* species from northern Thailand (Part 1). *Elytra, Tokyo*, **24**: 337–366.
- 1997. Ditto. IV. Three species-groups of the genus *Strongylium* from Southeast Asia. *Ibid.*, **25**: 279–309.