

Additional Records of *Lathrobium* (s. str.) *awajishimanum* Y. WATANABE
(Coleoptera, Staphylinidae) from the Island of Awaji-shima in
Hyôgo Prefecture, West Japan

Yasuaki WATANABE

Laboratory of Insect Resources, Tokyo University of Agriculture,
Atsugi, Kanagawa, 243-0034 Japan

Lathrobium awajishimanum was described by WATANABE (2001, p. 38) based on only one male specimen obtained on Mt. Kabuto-yama of the Island of Awaji-shima. A number of specimens of this species were obtained at three different areas of this island by Messrs. Masato MORI, Nishinomiya-shi, and Shotaro TANAKA, Shirahama-chô, Wakayama. Its collecting data are as given below.

1 ♂, Mt. Yuzuruha-san (alt. 450 m), Mihara-chô, Mihara-gun, Awaji-shima Is., 26-IX-1999, M. MORI leg., 1 ♂, same locality and collector as above, 30-X-1999, 1 ♀, same locality and collector as above, 24-IX-2000, 2 ♂♂, 2 ♀♀, same locality (alt. 300 m) and collector as above, 25-XI-2000, 1 ♂, same locality and collector as above, 4-V-2001, 1 ♂, same locality (alt. 350 m) and collector as above, 19-V-2001, 1 ♀, same locality and collector as above, 2-VI-2001, 2 ♂♂, same locality (alt. 400 m) and collector as above, 21-X-2001; 3 ♂♂, Mt. Kashiwara-yama (alt. 400 m), Sumoto-shi, Awaji-shima Is., 21-X-2001, M. MORI leg., 2 ♂♂, same locality (alt. 400 m) and collector as above, 27-X-2001, 1 ♂, same locality (alt. 400 m) and collector as above, 11-XI-2001; 1 ♂, same locality as above, 11-XI-2001, S. TANAKA leg., 1 ♂, same locality and collector as above, 17-XI-2001; 1 ♂, Hatsuo-gawa, Midori-chô, Mihara-gun, Awaji-shima Is., 2-VI-2001, M. MORI leg.

I thank Messrs. M. MORI and S. TANAKA for their kindness in giving me the specimens.

Reference

- WATANABE, Y., 2001. Two new species of the group of *Lathrobium nomurai* (Coleoptera, Staphylinidae) from West Japan. *J. speleol. Soc. Japan*, **26**: 37-43.