

References

- JALOSZYŃSKI P., 2006. Revision of *Horaeomorphus* SCHAUFUSS (Coleoptera, Scydmaenidae) of East Malaysia, Singapore and Sunda Islands. *Genus, Wrocław*, 17: 19–66.
- JALOSZYŃSKI P., S. NOMURA & IDRIS, A. G. 2007. A new *Horaeomorphus* from the Malay Peninsula. *Elytra, Tokyo*, 35: 307–311.

Elytra, Tokyo, 36(1): 166, May 30, 2008

A New Record of *Malthinus nakanishii* (Coleoptera, Cantharidae) from Minamidaitô Is., Southwest Japan

Kazuhiro TAKAHASHI

239–11 Nagamochi, Hiratsuka, 259–1217 Japan

Malthinus nakanishii TAKAHASHI, 2006 is a remarkable species first described from Kitadaitô Is., Southwest Japan. Up to the present, this has been the sole known locality. Recently, I had an opportunity to examine a specimen collected on Minamidaitô Is., which almost coincides with the present species. After a careful examination I have concluded that this specimen from Minamidaitô Is. perfectly agrees with the specimens from Kitadaitô Is. The following locality is a second known place of occurrence of this rare species.

Material examined. 1 ♂, East coast of Minamidaitô Is., Okinawa Pref., 10–IV–2007, M. NAKANISHI leg.

Distribution. Japan. (Kitadaitô Is. and Minamidaitô Is.)

Finally, I wish to express my hearty thanks to Messrs. Motoo NAKANISHI of Matsusaka and Hiroshi OTOBE of Tsu for their kindness in providing me the opportunity to examine the above-mentioned specimen.

Reference

- TAKAHASHI, K., 2006. A new species of the genus *Malthinus* (Coleoptera, Cantharidae) from Kitadaitô Island far off southwest Japan. *Elytra, Tokyo*, 34: 353–356.