

New Localities of *Obrium elongatum* and *O. huae* (Coleoptera, Cerambycidae)

Tatsuya NIISATO

Bioindicator Co., Ltd., Nikko-Kagurazaka Building, Iwato-chô 18,
Shinjuku, Tokyo, 162-0832 Japan

Obrium elongatum and *O. huae* were described based on the single male specimen from northern Vietnam each (NIISATO, 1998), and no additional record of both species have been known so far. As a result of the field surveys in Laos, I could examine a number of specimens of both species as listed below. This short report is not only the second records for the species after the original description but also the first records from Laos.

I would like to thank Drs. Michiaki HASEGAWA, Nobuo OHBAYASHI and Junsuke YAMASAKO, Messrs. Yasuhiko ITO, Takashi MIZUSAWA and Hiroyuki WAKAHARA, for their kind offer of material used in the present examination.

Obrium elongatum NIISATO, 1998

Obrium elongatum NIISATO, 1998: 270, figs. 3–4; type locality: Mts. Phang Si Pang, Lai Chau Prov., N. Vietnam.

Specimens examined. 2 ♂♂, 1 ♀, Phu Pan, 1,500–1,800 m in alt., N203°/E10401', Houaphan Province, Laos, 16.IV–15.V.2004, Local collector leg.; 1 ♂, 3 ♀♀, same locality as the preceding, 29.III.2005, T. NIISATO leg.; 1 ♂, 1 ♀, same locality as the preceding, 24–27.III.2005, Local collector leg.; 1 ♂, 1 ♀, same locality as the preceding, 11.IV.2005, Local collector leg.; 1 ♀, same locality and collector as the preceding, 12.IV–11.V.2005; 1 ♂, same locality and collector as the preceding, 2–10.V.2005; 1 ♂, Near Ban Saleui, ca 1,250 m in alt., N2013°/E10400', Houaphan Province, 9–10.IV.2004, N. OHBAYASHI leg.; 1 ♂, Phu Samsoum, 2,000–2,200 m in alt., N1909°/E10347, Xiengkhouang Province, Laos, 8–23.IV.2008, Local collector leg.; 1 ♂, same locality as the preceding, 2.V.2008, Y. ITO leg.; 1 ♀, same locality as the preceding, 13–17.V.2008, J. YAMASAKO leg.; 1 ♂, same locality and date as the preceding, T. MIZUSAWA leg.

Distribution. Vietnam and Laos (new record).

Obrium huae NIISATO, 1998

Obrium huae NIISATO, 1998: 273, figs. 5–6; type locality: Mts. Pia Oac, 1,400 m in alt., Cao Bang Province, N. Vietnam.

Specimens examined. 2 ♂♂, 2 ♀♀, near Ban Saleui, ca 1,250 m in alt., N2013°/E10400', 9.IV.2004, M. HASEGAWA leg.; 1 ♂, 1 ♀, same locality as the preceding, 10.IV.2004, T. NIISATO leg.; 3 ♀♀, same locality as the preceding, 9–10.IV.2004, N. OHBAYASHI leg.; 1 ♀, Phu Pan, 1,500–1,800 m in alt., N203°/E10401', Houaphan Province, 9.IV.2005, T. NIISATO leg.; 1 ♀, same locality and collector as the preceding, 10–13.IV.2004; 1 ♂, same locality and collector as the preceding, 29.III.2005; 9 ♂♂, 13 ♀♀, same locality as the preceding, 24–27.III.2015, Local collector leg.; 2 ♂♂, 2 ♀♀, same locality and collector as the preceding, 2–10.III.2015, Local collector leg.

Distribution. Vietnam and Laos (new record).

Reference

NIISATO, T., 1998. Three new *Obrium* (Coleoptera, Cerambycidae) from northern Vietnam. *The Japanese Journal of Systematic Entomology, Matsuyama*, 4: 267–276.

Manuscript received 7 November 2015;
revised and accepted 8 November 2015.