New Records of *Onthophagus* (*Onthophagus*) *ishiii* OCHI et KON (Coleoptera, Scarabaeidae) from Brunei and Sumatra, Indonesia

Teruo OCHI¹⁾ and Masahiro KON²⁾

¹⁾Kôhûdai 5–21–6, Toyono-chô, Toyono-gun, Osaka, 563–0104 Japan
²⁾ Pressance Kyodai-Higashi 406, Nishida-chô 116–3, Jodoji, Sakyo, Kyoto, 606–8417 Japan

In the present brief report, we record *Onthophagus (Onthophagus) ishiii* OCHI et KON from Brunei and Sumatra, Indonesia, for the first time.

Onthophagus (Onthophagus) ishiii OCHI et KON, 1995

Onthophagus (Onthophagus) ishiii OCHI et KON, 1995: 52.

Specimens examined. 1 \circlearrowright , Indonesia, Sumatra, Jambi State, VIII.1989; 1 \circlearrowright , 1 \bigcirc , ditto, V.1990; 3 \circlearrowright , 4 \bigcirc , Brunei, Bandar Seri Begawan, II.1991.

Distribution. Sabah and Brunei (new locality) of Borneo, Sumatra (new locality).

Remarks. This species was described from Sabah, Borneo. In the present report, this species was recorded from the other localities than the type locality for the first time. The specimens from Sumatra have the head and pronotum with greenish metallic luster like in the holotype, whereas the specimens from Brunei have the body entirely black though not appearing morphologically differentiated.

Reference

OCHI T., & M. KON, 1995. Dung beetles (Coleoptera, Scarabaeoidea) collected from Sabah, Borneo (II). *Elytra, Tokyo*, 23: 43–62.

Manuscript received 1 March 2016; revised and accepted 4 March 2016.