Rediscovery of the Intertidal Rove Beetle, *Liparocephalus tokunagai* SAKAGUTI (Coleoptera, Staphylinidae, Aleocharinae) from Shikoku

Yoshihiro SENDA

Entomological Laboratory, Faculty of Agriculture, Ehime University, Tarumi 3-5-7, Matsuyama, 790-8566 Japan

Liparocephalus tokunagai Sakaguti, 1944 inhabiting intertidal rocky zone has only been recorded from Japan and is distributed in Honshu, Shikoku and Kyushu (Sakaguti, 1944; Shibata, 1986; Sakai, 2003; Ahn; 1997). This megacephalous strange species is vary rare, and has not recorded anywhere since 1985 with a concrete collecting data besides locality (Ahn, 1997; Uéno, 2006). On the other hand, many of the natural seashore in Japan are vanishing rapidly by exploitation, therefore, this species has designated as "Date Dificient (DD)" in Red Book of Japan (Uéno, 2006). Recently, I rediscovered this species from some localities in Shikoku and I will record them as below.

I wish to express my hearty thanks to Dr. Masahiro Sakai and Dr. Hiroyuki Yoshitomi, Ehime University Museum (EUM), for their critical reading of the draft, and to Dr. Munetoshi Maruyama, Kyushu University Museum for giving information and useful suggestion. Also, I am much obliged to Mr. Yûji Katayama, Entomological Laboratory, Faculty of Agriculture, Ehime University, for taking photograph (Fig. 1), and to Dr. Takashi Komatsu (Shinshu University), Ms. Yasuko Kawakami (Takatsukishi, Osaka), Mr. Kazuki Sugaya and Mr. Shûhei Fuda (Ehime University) for kindly supporting this study.

Liparocephalus tokunagai SAKAGUTI, 1944


Liparocephalus tokunagai Sakaguti, 1944, 20. — Ahn, 1997, 89 [larval description]. — Maruyama & Ahn, 2000, 571 [in key].

Previous records. [Kanagawa Pref.] Aburatsubo beach, Miura-shi (Shibata, 1986). [Wakayama Pref.] Seto, Shirahama (Sakaguti, 1944). [Ehime Pref.] Nagahama-chô (Sakai, 1980); Gogo-shima, Matsuyama-shi (Sakai, 1980); Hôjô-kashima, Hôjô-shi (Sakaguti, 1981); Washi-ga-se (Sakaguti, 1981; probably misreading of "Washi-ga-su"); Nagahama-chô (Sakai, 2003); Matsuyama-shi (Sakai, 2003); Tsushima-chô (Sakai, 2003). [Miyazaki Pref.] Miyazaki (Uéno, 2006; probably mistake of Wakayama Pref.) [Kagoshima Pref.] Kekura (Ahn, 1997).

Present records. [Ehime Pref.] 1 ♂ (deposited in EUM), Kushû, Nagahama-chô, 7-V-1978, M. SAKAI leg. (ref. SAKAI, 1980, 2003); 2 ♂♂ (deposited in EUM), Katsuoka, Matsuyama-shi, 10-V-2009, Y. SENDA leg.; 10 ♂♂, 13 ♀♀, ditto, 24-V-2009, S. Fuda, Y. Senda & H. Yoshitomi leg.; 1 ♂, Hôjô-ôura, Matsuyama-shi, K. Sugaya leg.; 2 ♂♂ (deposited in EUM), ditto, 20-IX-2009, Y. Senda leg.; 1 ♂, Kushi, Iyo-shi, 19-IX-2009, Y. Senda leg.

Notes. The above localities reported here are rocky beaches covered with seaweeds (e.g. Sargassum fusiform (Harvey) Setchell, Myelophycus simplex (Harvey) Papenfuss and Ishige okamurae Yendo). At low tide, many individuals were wandering around the root of seaweed (esp. Sargassum fusiform (Harvey) Setchell), and hidden in "sac" of Calpomenia sp. Additionaly, many larvae of this species were found out in same time. I observed the adults and larvae of this species that feed the likely halacarid mites.

I have surveyed, Hôjô-kashima (20. Sep. 2009) and Washi-ga-su, Gogo-shima, Matsuyama-shi (22. Sep. 2009) which are the previously recorded localities, but I could not find any specimens.



Figs. 1–2. *Liparocephalus tokunagai* SAKAGUTI. ——1, Adult male, on *Calpomenia* sp.; 2, habitat (Katsuoka, Matsuyama-shi, Ehime Pref.)




Fig. 3. Distribution of Liparocephalus tokunagai. Open circle: previous records, Closed star: new records.

References

- AHN, K.-J., 1997. A review of *Liparocephalus Mäklin* (Coleoptera: Staphylinidae: Aleocharinae) with descriptions of larvae. *Pan-Pac. Ent.*, **73**: 79–92.
- MARUYAMA, M., & K.-J. AHN, 2000. Redescription of *Liparocephalus litoralis* KIRSCHENBLTT and key to the species of the genus *Liparocephalus* MÄKLIN. *Canad. Ent.*, **132**: 567–571.
- SAKAGUTI, K., 1944. A new intertidal rove-beetle from the Pacific coast of Japan. Trans. Kansai ent. Soc., 14: 20-21.
- SAKAI, M., 1980. Coleoptera. pp. 91–93. In Ehime Pref. (ed.), Investigation Report of Current State of Natural Shore in Ehime Pref., II. 137 pp. + 2 pls., Ehime Pref. (In Japanese.)
- 2003. Liparocephalus tokunagai SAKAGUTI. p. 157. In Ehime Pref. (ed.), Red Data Book, EHIME. 447 pp., Ehime Pref. (In Japanese.)
- SHIBATA, Y., 1986. Staphylinidae of Kanagawa Pref. Kanagawa-chûhô, 80: 1-9. (In Japanese.)
- UÉNO, S.-I., 2006. Liparocephalus tokunagai SAKAGUTI. p. 208. In Ministry of the Environment (ed.), Threatened Wildlife of Japan, Insecta. 246 pp., Japan Wildlife Research Center. (In Japanese.)

Manuscript received 6 May 2011; revised and accepted 7 Octoer 2011.